U·LINK



UL-2DIR25FP-AHD

2MP Indoor Dome Camera Fixed Lens

POWERING THE FUTURE



Features

- 1/2.9” CMOS Sensor.
- Illumination 0.02 lux 2 Color & 0.001 Lux @ Black & White.
- Fixed Lens 3.6mm.
- Infrared Distance 25m.

Specification

Camera

Image Sensor	1/2.9 CMOS Sensor
Image Resolution	2MP (1920x1080P)
Video Output Mode	4in1
Usable Illumination	0.02 Lux @ Color & 0.001 Lux @ Black & White
TV System	PAL/NTSC
Electronic Shutter	1/25s~1/50.000s_1/30s~1/60.000s
Sync System	Internal
S/N Ratio	≥50dB
Scanning System	Progressive Scan
White Balance	Auto/Manual
Gain Control	Auto
3D NR	3 DNR
WDR/DWDR	DWDR
Picture Adjustment	Yes
OSD Support	Yes
Auto Iris Support	Yes
Anti-Cut Bracket	Yes
IR Cut Filter	Yes
Storage Temperature	-20°C ~ +60°C RH95% Max

Lens

Focus Length	3.6mm
Focus Control	Fixed
Lens Type	Fixed

Night Vision

Infrared LED	6 PCS SMT IR LED
Infrared Distance	25m

General

Operation Temperature	-10°C ~ + 50°C RH95% Max
Weatherproof Housing	Yes, Plastic
IR Power On	Auto
Power Source	DC12V±10%, 500mA
Dimension WxHxD	177.8x68x70mm
Weight	0.5kg





U·LINK

POWERING THE FUTURE

Email:
info@u-link.uk

Address:
Sydney House, 62 Lancaster Way, Ely,
Cambridgeshire, CB6 3NW, UK

Website:
https://u-link.uk