U·LINK



UL-2PIR60V22-IP

2MP PTZ Camera 22X Optical Zoom

POWERING THE FUTURE



Features

- IP HD Speed Dome Camera.
- 22X Optical Zoom Lens.
- IR LED: 6 pcs IR Array LED Leds.
- Night Vision: 60m IR Range.
- Minimum illumination: Color 0.01 Lux@F1.2 B/W: 0 Lux With IR On.
- IP66.

Specification

Camera

Image Sensor	1/2.8" SONY Starvis Back-illuminated CMOS Sensor
Horizontal Resolution	2MP
Compression	H.265/H.264
S/N Ratio	≥50db
White Balance	Auto/Manual
AGC Control	Auto/Manual
Focus Mode	Auto/Manual
Automatic Shutter	1/1~1/10000Sec
WDR	96db
Minimum Illumination	Color: 0.01 Lux@F1.2 B/W: 0 Lux With IR On

PTZ

Horizontal Rotation Speed	45°/S
Horizontal Rotation Range	0°~360°
Tilt Rotation Speed	30°/s
Tilt Rotation Range	0°~93°
Preset Points	220 Points
Guard Tours	3 Groups
Guard Points	Max.16 Points

Lens

Focus Length	3.9mm ~ 85.5mm
Focus Control	22X Optical Zoom

Night Vision

Infrared LED	42μ x 6 PCS
IR Range	60m
Day-Night Mode	Auto

Network

Network Protocol	TCP/IP, HITTP, FTP, RTSP, UPP, DNS, NTP, RTP, UDP, IGM, P2P
ONVIF	Support
Network Interface	Built-in RJ45 Network Interface, Support 10M/100M IP DATA
Stream Type	Main Stream / Sub Stream / MJPEG

Interface

Audio	Optional
POE	Support

General

Weatherproof	IP66
Operating Temperature	Indoor: 0° ~ +40° Outdoor: -40° ~ +60°
Operating Humidity	≤ 90% Non Condensing
Power	PoE (802.3af) DC12V 2A/3A
Lightning Protection	Transient Voltage 6000V
Dimension WxHxD	Φ29.5x28×17cm
Weight	4.2Kgs





U·LINK

POWERING THE FUTURE

Email:
info@u-link.uk

Address:
Sydney House, 62 Lancaster Way, Ely,
Cambridgeshire, CB6 3NW, UK

Website:
https://u-link.uk