U·LINK



UL-4MNVR4G-AHD

Vehicle Surveillance System

POWERING THE FUTURE



Features

- Wide Range Of Power Input 8V~36V, Suitable For Any Kinds Of Vehicles.
- Auto Recording After Power Supplied.
- H.265 Real Time Compression Chip, Higher Compression Ratio & Keep Clear Resolution.
- Recording Format: 1080p, 720p, 960H, D1, CIF Used For Different Demand.
- VGA & AV Terminal Video Output To Connect From The Mobile DVR To An LCD Monitor For On-Site Operation.
- 6 Alarm Input, 2 Alarm Output, 2 Audio Input & 1 Audio Output.
- Built-in G-Sensor, Automatically Detect Crush, Trig Force Recording.
- Optional WiFi & 3G Network, Different Selection Of Connecting.
- Complete Video Record List. Overall Quick Search Event Log.
- Completely Record Driving Video & Sound To Make Sure Attribution Of Responsibility When Accident Occurred.
- Provide AVI Convert Function To Users Playback On PC.
- Power Management Function, Extended Record After Power Off.
- G-Mouse Optional, Completely Record Your Driving Position & Speed.
- 3G/4G Module Optional, Control Driving Situation Of Vehicles Anytime.

Specification

System

Operating System	Embedded LINUX

Video

Input	4 Cameras
Output	1 Video Output (Optional VGA or CVBS)
Video Format	NTSC/PAL

Audio

Input	2 Audio Input
Output	1 Audio Output

Alarm

Signal Loss Detector	Yes
Buzzer Alarm Output	Yes
Alarm I/O	6 Alarm Input, 2 Alarm Output
G-sensor	Yes
Watchdog	Stop, Automatically Return To Recording Mode When Power Back
Led Indicator	4 Led (LAN, REC, GPS, Power)

Display

Camera Power Output	4 Power 12V/400mA
Display	NTSC 240fps PAL 200fps
Display Mode	1CH/4CH/9CH
Simplex Mode	Record/Playback
Resolution Display	CVBS NTSC 960x480 - PAL 960x576 - VGA 800x600

Recording

Recording	NTSC: 1920×1080@1080P 1280×720@720P 960×480@960H 720x480@D1 PAL: 1920×1080@1080P 1280×720@720P 960×576@960H 720×576@D1
Recording Frame	NTSC: 4CH 1080P@15FPS/CH, 720P@30FPS/CH PAL: 4CH 1080P@15FPS/CH;,720P@30FPS/CH

Playback & Backup

Backup Device	USB 2.0 Flash Driver, 2.5"SATA Removable HDD
Playback Mode	Time/Date, Events
Full Screen	Yes

Network

Operation Interface	GUI
RS232	Yes
GPS	Yes (Optional G-Mouse)
3G/4G	Yes (Optional VVH-MD82D-3GA)
WiFi	Yes (Optional)
IR Remoter	Yes

Storage

Storage	2.5" Removable SATA HDD/SD Card

General

Language	English / Traditional Chinese/ Simplified Chinese
Power Supply	(1) DC 8V~36V (2) Acc Extended Recording By Setting Software
Operate Temperature	From -20°C ~ 65°C
Dimension WxHxD	Φ250x174.8x69.5mm
Weight	1.85kg (With Bracket & HDD)





U·LINK

POWERING THE FUTURE

Email:
info@u-link.uk

Address:
Sydney House, 62 Lancaster Way, Ely,
Cambridgeshire, CB6 3NW, UK

Website:
https://u-link.uk