U·LINK



UL-5BIR40V-AHD

5MP Indoor Bullet Camera VF Lens

POWERING THE FUTURE



Features

- 1/2.5” CMOS Sensor.
- AHD/CVI/TVI/CVBS 4in1.
- 2.8-12mm Varifocal Lens.
- IR Distance 40m Max.
- IP66 Outdoor, OSD & UTC Support.

Specification

Camera

Image Sensor	1/2.5" CMOS Sensor
Image Resolution	5M (2592x1944p) 4M (2560x1440p) 2M (1920x1080p)
TV System	PAL/NTSC
Video Output Mode	AHD/TVI: 5M@20fps/12.5fps, 4M@30fps/15fps, 2M@30fps; CVI: 4M@30fps,2M@30fps
Electronic Shutter	Auto
Scanning System	Progressive Scan

Lens

Focus Length	2.8-12mm
Focus Control	Manual
Lens Type	Varifocal

Night Vision

IR Cut Filter	Yes
Infrared LED	42µ x 6 PCS
Infrared Distance	40m
IR Status	AGC Auto Control

Camera Features

Day/Night	Yes
OSD Menu	Yes
WDR	Yes
UTC	Yes
Noise Reduction	DNR
White Balance	Auto/Manual
Gain Control	Auto

General

Housing	Metal, IP66
Bracket	Yes
Operation Temperature	-10°C ~ +50°C RH95% Max
Storage Temperature	-20°C ~ +60°C RH95% Max
Power Source	DC12V±10%, 750mA
Dimension WxHxD	Φ211x92x90mm
Weight	1400g





U·LINK

POWERING THE FUTURE

Email:
info@u-link.uk

Address:
Sydney House, 62 Lancaster Way, Ely,
Cambridgeshire, CB6 3NW, UK

Website:
https://u-link.uk