U·LINK



UL-5PIR120V36-IP

5MP PTZ Camera 36X Optical Zoom

POWERING THE FUTURE



Features

- IP HD Speed Dome Camera.
- 36X Optical Zoom.
- IR LED: 6 PCS IR LEDS + 2 PCS Laser LED.
- Night Vision: 120m IR Range.
- IP66.

Specification

Camera

Image Sensor	1/2.8" SONY Starvis Back-illuminated CMOS Sensor
Horizontal Resolution	5MP
Compression	H.265/H.264
S/N Ratio	≥50db

PTZ

Horizontal Rotation Speed	120°/S
Horizontal Rotation Range	0°~360°
Tilt Rotation Speed	30°/S
Tilt Rotation Range	0°~93°
Preset Points	220 points
Guard Tours	3 Groups
Guard Points	Max.16 points

Lens

Focus Length	4.6mm ~ 165mm
Focus Control	36X Optical Zoom

Night Vision

Infrared LED	42µ x 6 PCS IR LEDS + 2 PCS Laser LED
IR Range	120m
Day-Night Mode	Auto

Network

Network Protocol	TCP/IP, HTTP, FTP, RTSP, UPnP, DIS, NTP, RTP, UDP, IGMP, P2P
ONVIE	Support
Network Interface	Built-in RJ45 Network Interface, Support 10M/100M IP DATA
Main Stream 1	2560x1920@20fps
Main Stream 2	2560x1440@25fps@Full Frame
Main Stream 3	2304x1296@25fps@Full Frame
Main Stream 4	1920x1080@25fps@Full Frame
Main Stream 5	1280x720@25fps@Full Frame
Main Stream 6	640x512@25fps@Full Frame
Sub Stream 1	800x448@25fps@Full Frame
Sub Stream 2	704x576@25fps@Full Frame
Sub Stream 3	640x360025fps@Full Frame
Sub Stream 4	352x288@25fps@Full Frame

Interface

Audio	Optional
POE	Optional

General

Weatherproof	IP66
Operating Temperature	Indoor: 0° ~ +40° Outdoor: -40° ~ +60°
Operating Humidity	≤ 90% Non Condensing
Power	DC12V/4A
Lightning Protection	Transient Voltage 6000V
Dimension WxHxD	Φ31x31×44cm
Weight	10.7Kgs





U·LINK

POWERING THE FUTURE

Email:
info@u-link.uk

Address:
Sydney House, 62 Lancaster Way, Ely,
Cambridgeshire, CB6 3NW, UK

Website:
https://u-link.uk