U·LINK



UL-M2201-LCD

22" Wall Mounted LCD Monitor

POWERING THE FUTURE



Features

- 22" TFT-LCD.
- Display Color 16.7M.
- Response Time 8ms.
- Life(hrs) >60,000(hrs).
- Metal Case SPCC.

Specification

Model

Panel Size	22" TFT-LCD
Display Area(mm)/Mode	474(W)x300(H)/16:9
Maximum Resolution	1680x1050p
Display Color	16.7M
Brightness (nits)	350cd/m^2
Contrast	1200:1
Visual Angle	178°/178°
Response Time	8ms
Life(hrs)	>60,000(hrs)

Input & output (Mainboard interface)

HDMI Input	x2
DVI Input	x1
VGA Input	x1
USB	x1
BNC Input	x3
BNC Output	x3
AV Input	x2

Power

Power Supply	AC100 ~ 240V 50/60 HZ
Maximum Power Consumption	<= 35W
Standby Power Consumption	<5W

Temperature

Working Temperature	0°C ~ 50°C
Storage Temperature	-20°C ~ 60°C
Working Humidity	10% ~ 90%
Storage Humidity	20% ~ 85%

Appearance

Color Appearance	White, Black, Customized
Case	Metal Case SPCC
Installation	Wall Mount





U·LINK

POWERING THE FUTURE

Email:
info@u-link.uk

Address:
Sydney House, 62 Lancaster Way, Ely,
Cambridgeshire, CB6 3NW, UK

Website:
https://u-link.uk